

US006139865A

# **United States Patent** [19]

## Friend et al.

[11] Patent Number:

6,139,865

[45] **Date of Patent:** 

Oct. 31, 2000

[54] TASTE-MASKED MICROCAPSULE COMPOSITIONS AND METHODS OF MANUFACTURE

[75] Inventors: David R. Friend, Menlo Park; Steve

Ng, San Francisco, both of Calif.; Rafael E. Sarabia, Chester, N.J.; Thomas P. Weber, Shoreview, Minn.; Jean-Marie Geoffroy, Grayslake, Ill.

[73] Assignee: Eurand America, Inc., Vandalia, Ohio

[21] Appl. No.: 08/942,094

[22] Filed: Oct. 1, 1997

## Related U.S. Application Data

[60] Provisional application No. 60/027,170, Oct. 1, 1996.

[51] **Int. Cl.**<sup>7</sup> ...... **A61K 9/20**; A61K 9/50; A61K 9/58; A61K 9/62

## [56] References Cited

#### U.S. PATENT DOCUMENTS

3,860,733	1/1975	Morse et al 426/302
4,389,330	6/1983	Tice et al 427/213.36
4,389,331	6/1983	Samejima et al 427/213.36
4,542,042	9/1985	Samejima et al 427/213.36
5,075,114	12/1991	Roche
5,082,669	1/1992	Shirai et al
5,084,278	1/1992	Mehta 424/441

#### FOREIGN PATENT DOCUMENTS

93/24109 12/1993 WIPO.

## OTHER PUBLICATIONS

"Taste Masking in Oral Pharmaceuticals", *Pharmaceutical Technology*, Apr. 1994 p. 84–99.

"Some Properties of Chloroquine phosphate and Quinine Hydrochloride Microcapsules", *S.T.P. Pharma. Sciences* 1(2):117–120 (1991), A. Chukwu et al.

Recent Pharmaceutical Techniques and Outlook for masking the Bitter Taste of Granules, *Gifu Yakuke Daigaku Κξyo* 44:18–31 (1995).

Primary Examiner—James M. Spear Attorney, Agent, or Firm—Thompson Hine & Flory LLP

# [57] ABSTRACT

A taste-masked microcapsule composition for administration of a drug is provided. The composition comprises microcapsules of drug and a substantially water-insoluble polymeric material, typically a cellulosic polymer. The microcapsule composition may be incorporated into any number of pharmaceutical formulations, including chewable tablets, effervescent tablets, powders, liquid dispersions, and the like. A method for masking the taste of drugs is also provided, involving a phase separation coacervation technique in which drug is coated with relatively high levels of a polymeric material. These high coating levels give rise to effective taste masking, while nevertheless allowing targeted release of drug, so that the drug is released shortly after passage through the mouth.

# 47 Claims, 4 Drawing Sheets

